

STORMWATER MAINTENANCE SCHEDULE

PAVEMENT REMOVAL


“URBAN SOIL RESTORATION”

MODIFIED TO CORRESPOND TO CARROLL COUNTY DETAILS

MONTHLY INSPECTION		
Inspection Item	Inspection Requirements	Remedial Action
Vegetative Cover and Erosion	Check for vegetation over 4” in height. Check the Soil Restoration area for channelizing and bare spots.	Mow grass/remove trees and shrubs. Re-grade if the concentrated flow is causing rills or gullyng on the surface. Re-seed as necessary.
SEASONAL INSPECTION AND AFTER A MAJOR STORM		
Inspection Item	Inspection Requirements	Remedial Action
Inflow	Ensure sheet flow from pavement to grass area.	Remove debris, and vegetation, regrade and re-seed as necessary to ensure sheet flow from pavement.
Dewatering	Check for soft areas and/or soil saturated to the surface,	If necessary, excavate, remove, and replace the soil and reseed.
ANNUAL INSPECTION		
Inspection Item	Inspection Requirements	Remedial Action
Overall Function of	Check that grass areas remain and have not been compacted or paved.	Repair to good condition according to specifications on the approved plans.

Modified from Drywell Maintenance Schedule
Chad N. Wasileski, PE, CFM
Carroll County Stormwater Management
Program Engineer
May 31, 2024

SCHEMATIC PAVEMENT REMOVAL "URBAN SOIL RESTORATION"



Based on "Accounting for Stormwater Wasteload Allocations and Impervious Area Treated" November 2021
Chad N. Wasileski, PE, CFM
Carroll County Stormwater Management Program Engineer
May 31, 2024